




Baochen Machinery Technology Co., Ltd



30 mm x 47 mm x 9 mm NSK 6906DDU deep groove ball bearings

Bearing No. 6906DDU

6906DDU Bearing 2D drawings and 3D CAD models

Size	30x47x9 mm
Bore Diameter	30 mm
Outer Diameter	47 mm
Width	9 mm
d	30 mm
D	47 mm
B	9 mm
C	9 mm
r min.	0,3 mm
da min.	32 mm
da max	34 mm
Da max.	45 mm
ra max.	0,3 mm
Weight	0,052 Kg
Basic dynamic load rating (C)	7,25 kN
Basic static load rating (C0)	5 kN
(Grease) Lubrication Speed	8 500 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.052
EAN	0029176091636
Product Group	B00308
Enclosure	2 Seals



Baochen Machinery Technology Co., Ltd

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	30MM Bore; 47MM Outside Diameter; 9MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; C
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6906DDU
Weight / LBS	0.1147
Outer Race Width	0.354 Inch 9 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	1.181 Inch 30 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter
SRI	2.46
hidYobi	6906DDU



Baochen Machinery Technology Co., Ltd

LangID	1
D_	47
SREX	0.015
B_	9
da min	32
hidTable	ecat_NS RDGB
SRE	2.46
mass	0.052
GRS rpm	8500
ra	0.3
SRIX	0.015
D_a	45
SRIN	-0.015
C0	5
fo	15.8
SREN	-0.015
DE_	43.262
Prod_Type3	DGBB_SR_DD
DA_	4.762
bomp	0
Z_	14
yobi	6906DDU
C_conv	7250
ALPHA_	0
SDM_	38.5
r	0.3
KBRG	6161
SBRG	19
DI_	33.738