



Baochen Machinery Technology Co., Ltd



63202ZZ Bearing 2D drawings and 3D CAD models

15,000 mm x 35,000 mm x 15,875 mm NTN
63202ZZ deep groove ball bearings

Bearing No. 63202ZZ

Size	15x35x15.875 mm
Bore Diameter	15,000 mm
Outer Diameter	35,000 mm
Width	15,875 mm
d	15,000 mm
D	35,000 mm
B	15,875 mm
C	15,875 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 35MM Outside Diameter;



Baochen Machinery Technology Co., Ltd

	15.875MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance;
Other Features	Deep Groove Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.134
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Bore	0.591 Inch 15 Millimeter
Outer Race Width	0.625 Inch 15.875 Millimeter
bore diameter:	15 mm
precision rating:	ISO Class 0
outside diameter:	35 mm
finish/coating:	Uncoated
overall width:	15.9 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	15.90 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	15.90 mm
snap ring included:	Without Snap Ring



Baochen Machinery Technology Co., Ltd

maximum rpm (grease):	19000 rpm
internal clearance:	CN
fillet radius:	0.6 mm
operating temperature range:	-40 to 120 ° C
series:	632
dynamic load capacity:	5100 N
manufacturer product page:	Click here
static load capacity:	2390 N